

# VKT-Tuotanto

Nyåkerintie 37, 02420 Jorvas

p. 09-2970201, myyntipäivystäjä 0500-738122

[myynti@vkt-tuotanto.fi](mailto:myynti@vkt-tuotanto.fi)

[www.vkt-tuotanto.fi](http://www.vkt-tuotanto.fi)



## "WEFL": WALL-E FLOOR SERIES FLOOR SCALES



WEFL series floor scales, fitted with multifunction indicator with fixing bracket.




Compact multifunction weight indicator, complete with fixing bracket and backlit display.

Floor scales characterized by a multifunction, compact weight indicator and a sturdy, monoblock, steel platform. Particularly suitable for industrial and commercial use, guaranteeing precision and reliability. Available also in CE-M approved version according to OIML R-76 / EN 45501 standards.

### TECHNICAL FEATURES

- Weight indicator with ABS case, 25mm backlit LCD display with 6 high contrast digits and icons for showing the active functions. 5-key functional waterproof keypad.
- Fitted with fixing bracket with adjustable inclination.
- Functioning with 4 steel load cells, approved according to OIML R60 C3 standards, IP67 protection degree.
- Monobloc structure with oven-fire painted steel tubular, adjustable resting feet, and level.
- Protection reinforcements close to the load cells.
- Fixed sheet steel chequered load surface, size: see the table.



Application with optional column.

- Digital calibration and Set-Up from keypad or from PC through DINITOOLS.
- Cable 3m long for the connection between platform and indicator.
- Power supply: 4 AA batteries or 230Vac power supplier.
- Standard fitted with high resolution calibration for internal use, with 0.03% accuracy of the maximum capacity (activated as standard and disabled by menu).

#### SELECTABLE FUNCTIONS

- **Weights totalisation**
- **Formulation**
- **+/- Check**
- **Percentage weigh**, for manual dosages
- **Counting**
- **Net/Gross or lb/kg conversion**

#### Available versions

Code	l x w x h (mm)	Nr. of cells	Max (kg)	d (kg)	<b>M</b> 2R (kg)*	d HR (kg)
WEFLB1500	1250x1250x120	4x1000kg	600/1500	0,2/0,5	0,2/0,5	0,02/0,05
WEFLD3000	1250x1500x120	4x2000kg	1500/3000	0,5/1	0,5/1	0,05/0,1
WEFLE3000	1500x1500x120	4x2000kg	1500/3000	0,5/1	0,5/1	0,05/0,1

(\* ) These divisions are obtainable only with the relative options.

#### Floor columns



Code	Description
CSP38	Stainless steel column 450x450mm, h=917, Ø 38mm. Painted steel base. For the indicators of the DINI ARGEO and SCALE HOUSE range.



CSP38D Stainless steel column 350x350mm, h=750mm. Painted steel base. For the indicators of the DINI ARGEO and SCALE HOUSE range.

Approval



Code	Description
ECEM2	CE-M Single platform legal for trade dual range approval.

Frame for flush floor installation

Code	Description
FLATF-1	Frame for flush floor installation, for FLA / WEFLA scales.



FLMTF-1	Frame for flush floor installation, for FLM / WEFLM scales.
---------	---



FLBTF-1	Frame for flush floor installation, for FLB / WEFLB scales.
---------	---



FLDTF-1	Frame for flush floor installation, for FLD / WEFLD scales.
---------	---



FLETF-1	Frame for flush floor installation, for FLE / WEFLE scales.
---------	---



Calibration service (only at time of order)

Code	Description
CT6	ISO 17025 calibration certificate from 301 to 1500 kg. For precision and industrial scales, crane scales.



CT7	ISO 17025 calibration certificate from 1501 to 3000 kg. For precision and industrial scales, crane scales.
-----	--

